

PATENT APPLICATION

TABLE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Confirmation No: 7581

Koji NAKAZAWA et al.

Attorney Docket No: 101175-00034

Serial Number: 10/644,966

Group Art Unit: 1742

Filed: August 21, 2003

Examiner: Lois L. ZHENG

For: WATER ELECTROLYSIS SYSTEM

PETITION FOR EXTENSION OF TIME

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Date: July 14, 2006

Sir:

Applicants petition for an extension of time for one month for response to the outstanding Office Action dated April 5, 2006 from July 5, 2006 to August 5, 2006. Attached is our check in the amount of \$120.00.

The Commissioner is hereby authorized to charge any fee deficiency or credit any overpayment associated with this communication to Deposit Account No. 01-2300, referencing Docket No. 101175-00034.

Respectfully submitted,

07/17/2006 SDENBOB1 00000033 10644966

01 FC:1251

120.00 OP

Registration No. 44,275

Customer No. 004372
ARENT FOX PLLC
1050 Connecticut Avenue, N.W.,
Suite 400
Washington, D.C. 20036-5339
Tel: (202) 857-6000

Tel: (202) 857-6000 Fax: (202) 638-4810

MO:elp